#### **PRODUCT CATALOG**







THINNER, LIGHTER, MORE COMFORTABLE Lifesaving Ballistics Technologies®

MADE WITH

DURITIUM



## DURITIUMIIICW

Advanced In Conjunction With (ICW) Body Armor Plates

MADE WITH





#### 15-YEAR STANDARD WARRANTY

• Ultra Light • Ultra Thin • Level III ICW • Multi-Hit Rifle Protection • Buoyancy Positive •

Cut <sup>†</sup>	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
SHOOTER	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.4	1.1	PA1RF1ICW	ICWRF1-10x12SHMC	Multi-Curve, Shooters Cut (SH)
SAPI	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.6	1.2	PA1RF1ICW	ICWRF1-10x12SEMC	Multi-Curve, SAPI Cut (SE)
SPRINTER PLATE	7" x 9" x .6"	17.8 x 22.9 x 1.5	1.2	0.5	PA1RF1ICW	ICWRF1-7×9FSSC	Single Curve, Full Size Cut (FS)

<sup>\*</sup>Full size and other custom cuts available upon request.

<sup>\*\*</sup> All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





<sup>\*</sup> All Duritium III ICW plate thicknesses are 0.6" +/- 0.125" (1.5cm +/-0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

#### **DURITIUM® III ICW • MODEL PAIRFIICW**

#### STOPPING POWER (STOPPING POWER IN CONJUNCTION WITH IIIA SOFT ARMOR)



#### **PROTECTION TYPE / LEVEL:**

Level III ICW

#### **CONFIGURATION:**

In Conjunction With (ICW) IIIA Soft Armor, Multi-Hit

#### **AREAL DENSITY (WEIGHT):**

3.24 lbs/sf 15.81 kg/m<sup>2</sup>

#### THICKNESS:

0.6" +/- 0.125" (1.5cm +/- 0.32cm)

#### **CURVATURE:**

Multi-Curve, Single Curve

#### **MATERIAL:**

Polyethylene

#### **PROTECTIVE COVER:**

Polyurea

#### **COMPLIANCE TESTED:**

U.S. NIJ Level III ICW 0101.06 (NIJ Compliance Pending)

#### **AVAILABLE OPTIONS:**

Custom ballistics products and solutions available upon request.

#### **MANUFACTURING EQUIPMENT & CAPACITY:**

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

#### ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 - 50"x74", 2 - 50"x98", 1 - 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

#### **CUT OPTIONS**



Other custom cuts and sizes available upon request.

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

#### **Department of State ITAR/Department of Commerce EAR:**

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

#### **ABOUT SHOTSTOP**

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

# DURITIUM III+PS Advanced Body Armor Plates

MADE WITH











#### 15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.1	1.0	PS1RF1SC	PS1RF1-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.2	1.5	PS1RF1SC	PS1RF1-10x12SHSC	Single-Curve, Shooters Cut (SH)
중	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.1	1.9	PS1RF1SC	PS1RF1-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.2	1.0	PS1RF1SC	PS1RF1-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.4	1.5	PS1RF1SC	PS1RF1-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.3	2.0	PS1RF1SC	PS1RF1-11x14SESC	Single-Curve, SAPI Cut (SE)
PLATE	6" x 6" x .95"	15.2 x 15.2 x 2.4	1.0	0.5	PS1RF1SC	PS1RF1-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
E PL/	6" x 8" x .95"	15.2 x 20.3 x 2.4	1.3	0.6	PS1RF1SC	PS1RF1-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	8" x 5" x .95"	20.3 x 12.7 x 2.4	1.1	0.5	PS1RF1SC	PS1RF1-8x5FSSC	Side Plate, Single Curve, Full Size Cut (FS)

<sup>\*</sup>Full size and other custom cuts available upon request.

<sup>\*\*</sup> All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





<sup>\*</sup> All Duritium III+PS plate thicknesses are  $0.95'' \pm 0.125''$  ( $2.4 \text{cm} \pm 0.32 \text{cm}$ ). All size (profile) dimensions are  $\pm 0.375''$  ( $\pm 0.95 \text{cm}$ ).

#### DURITIUM® III+PS . MODEL PSIRFISC

#### **STOPPING POWER**



#### **PROTECTION TYPE / LEVEL:**

Level III+

#### **CONFIGURATION:**

Stand-Alone, Multi-Hit

#### **AREAL DENSITY (WEIGHT):**

5.04 lbs/sf 24.61 kg/m<sup>2</sup>

#### **THICKNESS:**

0.95" ± 0.125" (2.4cm ± 0.32cm)

#### **CURVATURE:**

Single Curve

#### **MATERIAL:**

Polyethylene

#### PROTECTIVE COVER:

Polyurea

#### **COMPLIANCE TESTED:**

U.S. Level III+ German VPAM Level 6 NATO STANAG 2920 Level B4

#### **AVAILABLE OPTIONS:**

Custom ballistics products and solutions available upon request.

#### **CUT OPTIONS**



Full size and other custom cuts and sizes available upon request

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

= ammunition each plate will defeat

#### Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

#### AROUT SHOTSTOR

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

# DURITIUM III+PA Advanced Body Armor Plates

MADE WITH DURITIUM TECHNOLOGY



#### 15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive •

Cut <sup>†</sup>	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.8	0.8	D1652SSB	SH3+8x10MC	Multi-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.7	1.2	D1652SSB	SH3+10x12MC	Multi-Curve, Shooters Cut (SH)
Ŗ.	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.5	1.6	D1652SSB	SH3+11x14MC	Multi-Curve, Shooters Cut (SH)
	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.9	0.9	D1652SSB	SE3+8x10MC	Multi-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.9	1.3	D1652SSB	SE3+10x12MC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.7	1.7	D1652SSB	SE3+11x14MC	Multi-Curve, SAPI Cut (SE)
ΛΈ	6" x 6" x .7"	15.2 x 15.2 x 1.8	0.9	0.4	D1652SSB	FS3+6x6SC	Side Plate, Single Curve, Full Size Cut (FS)
E PLATE	6" x 8" x .7"	15.2 x 20.3 x 1.8	1.2	0.5	D1652SSB	FS3+6x8SC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	8" x 5" x .7"	20.3 x 12.7 x 1.8	0.9	0.4	D1652SSB	FS3+8x5SC	Side Plate, Single Curve, Full Size Cut (FS)

<sup>\*</sup>Full size and other custom cuts available upon request.

<sup>\*\*</sup> All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





<sup>\*</sup> All Duritium III+PA plate thicknesses are 0.7" ± 0.125" (1.8cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

#### DURITIUM® III+PA • MODEL D1652SSB

#### STOPPING POWER (STOPPING POWER IN CONJUNCTION WITH IIIA SOFT ARMOR)



#### **PROTECTION TYPE / LEVEL:**

Level III+

#### **CONFIGURATION:**

Stand-Alone, Multi-Hit

#### **AREAL DENSITY (WEIGHT):**

3.96 lbs/sf 19.33 kg/m<sup>2</sup>

#### **THICKNESS:**

0.7" ± 0.125" (1.8cm ± 0.32cm)

#### **CURVATURE:**

Multi-Curve

#### **MATERIAL:**

Polyethylene

#### PROTECTIVE COVER:

Polyurea

#### **COMPLIANCE TESTED:**

U.S. NIJ Level III 0101.06 NATO STANAG 2920 Level B4

#### **AVAILABLE OPTIONS:**

Custom ballistics products and solutions available upon request.

#### **MANUFACTURING EQUIPMENT & CAPACITY:**

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

#### **ABBREVIATED LIST OF EQUIPMENT:**

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

#### **CUT OPTIONS**



Full size and other custom cuts and sizes available upon request

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

#### **Department of State ITAR/Department of Commerce EAR:**

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

#### **ABOUT SHOTSTOP**

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

800-986-0795 | info@shotstop.com | <mark>ShotStop.com</mark>

# DURITIUM' GT

### Advanced Body Armor Plates with Green Tip Protection

MADE WITH

DURITIUM TECHNOLOGY





#### 15-YEAR STANDARD WARRANTY

Ultra Thin • Durable • Stand-Alone • Multi-Hit • Green Tip Protection •

Cut <sup>†</sup>	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model#	Part #	Description
TER	8" x 10" x .5"	20.3 x 25.4 x 1.3	3.0	1.4	GT1RF2MC	GT1RF2-8x10SHMC	Multi-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .5"	25.4 x 30.5 x 1.3	4.7	2.1	GT1RF2MC	GT1RF2-10x12SHMC	Multi-Curve, Shooters Cut (SH)
	8" x 10" x .5"	20.3 x 25.4 x 1.3	3.0	1.4	GT1RF2MC	GT1RF2-8x10SEMC	Multi-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .5"	25.4 x 30.5 x 1.3	4.8	2.2	GT1RF2MC	GT1RF2-10x12SEMC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .5"	27.9 x 35.6 x 1.3	6.2	2.8	GT1RF2MC	GT1RF2-11x14SEMC	Multi-Curve, SAPI Cut (SE)
# E	6" x 6" x .5"	15.2 x 15.2 x 1.3	1.5	0.7	GT1RF2MC	GT1RF2-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	6" x 8" x .5"	15.2 x 20.3 x 1.3	2.2	1.0	GT1RF2MC	GT1RF2-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)

<sup>\*</sup>Full size and other custom cuts available upon request.

<sup>\*\*</sup> All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





<sup>\*</sup> All Duritium GT plate thicknesses are 0.5"±0.125" (1.3cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

#### DURITIUM GT · MODEL GT1RF2MC

#### **STOPPING POWER Threat Types** 5.56 x 45mm 7.62 x 39mm NATO M855 (SS109) M<sub>2</sub> AP 9mm 7.62 x 63mm 5.56 x 45 mm, PS Ball (MSC) 55 grain ball 357 Mag 62 grain steel core (M193) 7.62 x 54R API B32 44 Mag M855 A1 (BXN) "Dragunov"

#### PROTECTION TYPE / LEVEL:

Special Threat M855/SS109 (Green Tip)

#### **CONFIGURATION:**

Stand-Alone, Multi-Hit

#### **AREAL DENSITY (WEIGHT):**

6.48 lbs/sf 31.64 kg/m<sup>2</sup>

#### THICKNESS:

0.5" ± 0.125" (1.27cm ± 0.32cm)

#### **CURVATURE:**

Multi-Curve

#### **MATERIAL:**

Composite/Polyethylene

#### **PROTECTIVE COVER:**

Polyurea

#### **COMPLIANCE TESTED:**

= ammunition each plate will defeat

Abbreviated U.S. Level III/Special Threat

#### **AVAILABLE OPTIONS:**

Custom ballistics products and solutions available upon request.

#### **MANUFACTURING EQUIPMENT & CAPACITY:**

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

#### ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

#### **CUT OPTIONS**



Full size and other custom cuts and sizes available upon request

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

#### **Department of State ITAR/Department of Commerce EAR:**

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

#### **ABOUT SHOTSTOP**

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

# DURITIUM IV+HS Advanced Body Armor Plates

MADE WITH DURITIUM TECHNOLOGY



#### 10-YEAR STANDARD WARRANTY

• Level IV • Durable • Stand-Alone • Multi-Hit • Armor-Piercing Protection •

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x 0.9"	20.3 x 25.4 x 2.3	3.5	1.6	HS1RF3SC	HS1RF3-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x 0.9"	25.4 x 30.5 x 2.3	5.3	2.4	HS1RF3SC	HS1RF3-10x12SHSC	Single-Curve, Shooters Cut (SH)
Ŗ	11" x 14" x 0.9"	27.9 x 35.6 x 2.3	6.8	3.1	HS1RF3SC	HS1RF3-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x 0.9"	20.3 x 25.4 x 2.3	3.5	1.6	HS1RF3SC	HS1RF3-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x 0.9"	25.4 x 30.5 x 2.3	5.3	2.4	HS1RF3SC	HS1RF3-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x 0.9"	27.9 x 35.6 x 2.3	6.8	3.1	HS1RF3SC	HS1RF3-11x14SESC	Single-Curve, SAPI Cut (SE)
SIDE PLATE	6" x 6" x 0.9"	15.2 x 15.2 x 2.3	1.6	0.7	HS1RF3SC	HS1RF3-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
IS A	6" x 8" x 0.9"	15.2 x 20.3 x 2.3	2.1	1.0	HS1RF3SC	HS1RF3-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)

<sup>†</sup>Full size and other custom cuts available upon request.

<sup>\*\*</sup> All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.






<sup>\*</sup> All Duritium IV+HS plate thicknesses are 0.9"±0.125" (2.3cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

#### DURITIUM® IV+HS • MODEL HS1RF3SC

#### **STOPPING POWER**



#### **PROTECTION TYPE / LEVEL:**

Level IV

#### **CONFIGURATION:**

Stand-Alone, Multi-Hit

#### **AREAL DENSITY (WEIGHT):**

6.34 lb/sq ft 30.95 kg/m<sup>2</sup>

#### THICKNESS:

0.9" ± 0.125" (2.3cm ± 0.32cm)

#### **CURVATURE:**

Single Curve

#### **MATERIAL:**

Composite/Polyethylene

#### PROTECTIVE COVER:

Polyurea

#### **COMPLIANCE TESTED:**

U.S. Level IV

#### AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

#### **CUT OPTIONS**



Full size and other custom cuts and sizes available upon request

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of ten (10) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

= ammunition each plate will defeat

#### **Department of State ITAR/Department of Commerce EAR:**

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR  ${\it Export\,Licenses\,and/or\,ITAR/EAR\,Brokering\,Licenses\,(as\,appropriate)\,will\,be\,required\,prior\,to}$ submittal of any further technical information and/or shipment of samples and/or products.

#### **ABOUT SHOTSTOP**

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending



MADE WITH

DURITIUM TECHNOLOGY

Ultra Light Ultra Thin Warranted Performance Hand Gun & Rifle Protection

BallisticBoard®, made with Duritium® technology, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and rifle fire. The BallisticBoard insert (soft and rigid) and clipboard are perfect for placing in a backpack, computer bag, luggage, or purse to turn it into instant ballistic protection. Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard is your answer to safety, security, and the confidence that you or your loved one is protected.







Rigid BallisticBoard



**Backpack Insert** 



**Ballistic Clipboard** 

BallisticBoard and Duritium technology can be engineered for almost any custom ballistic application, from classrooms and furniture to retail environments and vehicle armor.

#### BALLISTICBOARD APPLICATIONS



Automotive



**Shooting Ranges** 



Construction/Building Materials



Transportation



Law Enforcement Tools



**Custom Applications** 

For more information or to discuss your custom application, visit ShotStop.com/contact-us





#### HAND GUN PROTECTION



#### BallisticBoard Insert - Soft (SSB-IIIA-SA)

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12SA	10" x 12" x .26"	25.4 x 30.5 x .66	1.1	0.49	BallisticBoard® Level IIIA – Soft Insert
FS3A11x14SA	11" x 14" x .26"	27.9 x 35.6 x .66	1.4	0.63	BallisticBoard® Level IIIA – Soft Insert

BallisticBoard	l Insert – Rigi	d (SSB-IIIA-RA	)		
PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RA	10" x 12" x .26"	25.4 x 30.5 x .66	1.2	0.54	BallisticBoard® Level IIIA - Rigid Insert
FS3A11x14RA	11" x 14" x .26"	27.9 x 35.6 x .66	1.6	0.73	BallisticBoard® Level IIIA - Rigid Insert

BallisticBoard	d Clipboard (S	SB-IIIA-RACL)			
PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RACL	10" x 12" x .26"	25.4 x 30.5 x .66	1.3	0.58	BallisticBoard® Level IIIA - Clipboard

#### HIGH-POWERED RIFLE PROTECTION BallisticBoard Insert - Rigid (SSB-III-RA) WT. (lbs.)\*\* WT. (kg)\*\* **PART NUMBER** SIZE (in.)\* SIZE (cm)\* **DESCRIPTION** FS310x12RA 10" x 12" x 0.7" BallisticBoard® Level III - Rigid Insert 25.4 x 30.5 x 1.78 3.75 1.7 FS311x14RA 11" x 14" x 0.7" 27.9 x 35.6 x 1.78 BallisticBoard® Level III - Rigid Insert 4.75 2.15



BallisticBoard® Level IIIA - Soft Insert



BallisticBoard® Level IIIA - Rigid Insert



BallisticBoard® Level IIIA - Clipboard



BallisticBoard<sup>®</sup> Level III - Rigid Insert

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

#### Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.

LIFESAVING BALLISTICS TECHNOLOGIES

Cage: 7HKH8 | Duns: 080070249 | Patents: US9,180,623 | Patents Pending

Call 800-986-0795 to learn more about our ballistics solutions or visit www.shotstop.com

<sup>\*</sup>All insert thicknesses are ± 0.12" (± 0.30 cm)

<sup>\*\*</sup>All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



## BALLISTIC CLIPBOARD

MADE WITH

DURITIUM TECHNOLOGY

#### Ultra Light • Ultra Thin • Warranted Performance • Hand Gun Protection

BallisticBoard® Clipboard, made with Duritium® technology, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and fire. The clipboard is perfect for placing in a backpack, computer bag, luggage, or to carry to turn it into instant ballistic protection.





Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard Clipbaord is your answer to safety, security, and the confidence that you or a loved one is protected wherever they go.





#### **BALLISTICBOARD**

#### HAND GUN PROTECTION





BallisticBoard Clipboard (	(SSB-IIIA-RACL)
----------------------------	-----------------

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RACL	10" x 12" x .26"	25.4 x 30.5 x .66	1.3	0.58	BallisticBoard® Level IIIA – Clipboard

\*All insert thicknesses are ± 0.12" (± 0.30 cm)

#### Also available from Shotstop



BallisticBoard® Level IIIA – Soft Insert



BallisticBoard® Level IIIA – Rigid Insert



BallisticBoard® Level III (Rifle Protection) Rigid Insert



Advanced Body Armor Plates

#### Visit us at ShotStop.com

#### ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

#### Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

#### AROUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

<sup>\*\*\*</sup>All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.

# **Body Armor Stopping Power**

<b>(/)</b>	(h) (h)	(f)· (f)	<b>(4) (4)</b>	<b>(4)</b>		YES	9 9	Alloy- Composite	Multi	0.5 in. 1.3 cm 1.1 in. 2.8 cm	4.6 lbs. 2.1 kg. 5.8 lbs. 2.6 kg.	Duritium GT  10" x 12" 254mm x 305mm  Duritium IV+HS  10" x 12" 254mm x 305mm	SPECIAL THRE.
		<b>(</b> /)	<b>(/)</b>	<b>(</b> / <sub>1</sub> )	<b>(/)</b>	YES	YES	Polyethylene	Multi	0.7 in. 1.8 cm	2.7 lbs. 1.2 kg.	Durttium III+PA 10" x 12" 254mm x 305mm	10 10 25 25 25 25 25 25 25 25 25 25 25 25 25
		<b>(</b> / <sub>2</sub> )	<b>(</b> / <sub>2</sub> )	<b>(</b> / <sub>1</sub> )	<b>(//)</b>	YES	YES	Polyethylene	Single	0.95 in. 2.4 cm	3.3 lbs.	Duritium III+PS 10" x 12" 254mm x 305mm	S S D
		A Soft Armor	on With Level III	Stopping Power In Conjunction With Level IIIA Soft Armor	Stopping Pc	YES	YES	Polyethylene	Multi	0.6 in. 1.5 cm	1.2 lbs. 0.5 kg.	Duritium III ICW 57" y"x 9" 178mm x 229mm	
5 M2 AP 7.62 x 63mm m, 7.62 x 54R core API B32 (BXN) "Dragunov"	NATO M855 (SS109) 5.56 x 45 mm, 62 grain steel core M855 A1	7.62 x 51mm 149 grain M80 FMJ	7.62 x 39mm PS Ball (MSC)	5.56 x 45mm 55 grain ball (M193)	9mm 357 Mag 44 Mag	Multi-Hit	Buoyant	Material	Curve	Thickness	Weight	Model	Threat Types

= ammunition each plate will defeat

All referenced 10"x12" weights are based on Shooter cut.

Tested by a third-party NUJ accredited ballistic laboratory to stop rounds up to and including this level.

Cage: 7HKH8 | Duns. 080070249 | Patents. USg.180,623 | Patents Pending © 2011-2019 ShotStop Ballistics LLC All Rights Reserved
ShotStop Ballistics@ ShotStop@ Duritum@, BallisticBoard@ and SS@ logo mark are registered trademarks of ShotStop Ballistics. LLC

1-800-986-0795 • 1-330-686-0020 • ShotStop.com

#### To view our Ballistic Lab Reports click or visit:

https://www.shotstop.net/why-shotstop-1#the-proof



